Hyundai i10	Technical Specifications							
Engines & performance		1.0 MPi			MPi	1.0 T-GDi (i10 N-Line)		
Emission standard		EURO 6d-			EURO 6d-		EURO 6d-	
Туре		3 Cylinder M	1Pi	4 Cylin	der MPi	3 Cylinder Turbo GDi		
Displacement [cc]		998			1197		998	
Bore x stroke [mm]		71.0 x 84.0			71.0 x 75.6		71.0 x 84.0	
Compression ratio		11.0			11.0		10.5	
Maximum power [PS/kW]	67.	67/49.3 at 5,500 rpm			84/61.7 at 6,000 rpm		100/73.6 at 4,500 rpm	
Maximum torque [Nm/rpm]		96 at 3,750 rpm			118 at 4,200 rpm		172 at 1,500 rpm	
Transmission		5MT/5AMT			5MT/5AMT		ИT	
Variant	5 Seater (5MT/5AM	T) (	4 Seater 5MT (Standard/Eco)	5 Seater (5MT/5AMT)	4 Seater (5MT)	4/5 S	eater	
0-100 km/h [s]	14.8 / 17.	3	15.2 / 16.8	12.6 / 15.8	Not available	Not av	ailable	
Top speed [km/h]	156 / 156	i	156 / 147	171 / 171	Not available	Not available		
Weight	1.0 MPi			1.2 MPi		1.0 T-GDi (i10 N-Line)		
Variant	5 Seater (5MT/5AMT)			5 Seater 4 Seater (5MT/5AMT) (5MT/5AMT)		4/5 Seater (5MT)		
Kerb weight [kg]	921 / 924	919	924	932 / 935	930 / 933	Not available	Not available	
Payload [kg]	489 / 486	421	386	498 / 495	420 / 417	Not available	Not available	
Gross vehicle weight [kg]	1410	1340	1310	1430	1350	Not available	Not available	
Dimensions exterior		1.0 MPi			1.2 MPi		1.0 T-GDi (i10 N-Line)	
Overall length [mm]		3,670					3,675	
Overall width [mm] with/without side mirrors			1,680					
Overall height [mm] with/without roof rack			1,483					
Wheelbase [mm]			2,425					
Wheel tread front [mm] 14-/15-/16-inch wheels	2,425 2,425 1,479/1,467/1,467 1,467							
Wheel tread rear [mm] 14-/15-/16-inch wheels	1,490/1,478/1,478 1,478							
Front overhang/ rear overhang [mm]	705/540 710/540							
Ground clearance [mm]	149 152							
Dimensions interior		1.0 MPi		1.2 MPi		1.0 T-GDi (i10 N-Line)		
Head room front/rear [mm]				996	/ 956			
Leg room front/rear [mm]	1,070 / 865							
Shoulder room front/rear [mm]	1,326 / 1,328							
Hip Room	1,260 / 1,230							



Hyundai i10	Technical Specifications				
Luggage Capacity					
Luggage capacity VDA [I] - seats up	252				
Luggage capacity VDA [I] - seats down	1050				
Chassis					
Front suspension	McPherson Strut				
Rear suspension	Coupled Torsion Beam Axle				
Steering type	Motor Power Assisted Steering				
Steering gear ratio	14.0				
Steering wheel lock to lock turns	2.64				
Turning circle [m]	4.9				
Brake system	Dual diagonal split circuit power assisted with Electronic Brake-force Distribution (EBD)				
Front brakes diameter [mm]	252				
Rear brakes diameter [mm]	234				
ABS	4-Wheel Electronic, 4-Sensor, 4-Channel Electronic brake distribution, Brake torque distribution system (EBD)				
Wheels	14-inch steel / 15-inch alloy / 16-inch alloy				
Tyres	175/65R14 / 185/55R15 / 195/45R16				

Transmission								
Engines		1.0	MPi		1.2 MPi			1.0 T-GDi (i10 N-line)
Variant	4 Seater Eco	4 Seater	5 Se	eater	4 Seater	5 Seater		4/5 Seater
Transmission type	5MT	5MT	5MT	5AMT	5MT	5MT	5AMT	5MT
1 <sup>st</sup> Gear :1	3.545	3.545	3.727	3.727	3.545	3.545	3.545	3.615
2 <sup>nd</sup> Gear :1	1.895	1.895	2.056	2.056	1.895	1.895	1.895	1.955
3 <sup>rd</sup> Gear :1	1.192	1.241	1.269	1.269	1.241	1.192	1.192	1.207
4 <sup>th</sup> Gear :1	0.906	0.906	0.906	0.906	0.906	0.853	0.853	0.893
5 <sup>th</sup> Gear :1	0.744	0.744	0.744	0.744	0.744	0.697	0.697	0.688
Reverse :1	3.636	3.636	3.636	3.636	3.636	3.636	3.636	3.545
Final gear ratio :1	4.056	4.438	4.438	4.438	4.235	4.438	4.438	3.647

Hyundai i10		Technical Specifications							
Consumption & emissions	1.0 MPi				1.2	MPi	1.0 T-GDi (i10 N-Line)		
Variant	4 Seater Eco	4 Seater	5 Se	ater	4 Seater / 5 Seater		4/5 Seater		
Transmission	5MT	5MT	5MT	5AMT	5MT	5AMT	5MT		
Fuel consumption urban NEDC 2.0 (I/100 km)* high-low	5.3-5.2	5.7-5.0	5.7-5.5	5.3-5.0	6.0-5.8	5.5-5.3	Not available		
Fuel consumption extra-urban NEDC 2.0 (I/100 km)* high-low	4.1-3.7	4.1-4.0	4.2-3.8	4.5-4.1	4.3-3.9	4.5-4.0	Not available		
Fuel consumption combined NEDC 2.0 (I/100 km)* high-low	4.5-4.2	4.7-4.4	4.8-4.4	4.8-4.4	4.9-4.6	4.8-4.5	Not available		
Fuel consumption combined WLTP (I/100 km)** high-low	5.4-4.8	5.5-4.9	5.5-5.0	5.9-5.2	5.8-5.1	6.1-5.4	Not available		
CO <sub>2</sub> emissions combined NEDC 2.0 (g/km)* high-low	104-97	108-100	109-101	109-101	113-105	111-103	Not available		
CO <sub>2</sub> emissions combined WLTP (g/km)** high-low	122-110	125-111	126-114	134-119	132-117	138-122	Not available		

## Notes

Technical specifications listed in this document may vary depending on region and trim.



<sup>\*</sup> The specified fuel consumption and emission data have been determined according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP) and converted back to New European Driving Cycle (NEDC) standards, commonly known as NEDC 2.0. When figures are specified as value ranges, these do not refer to a particular individual vehicle, but to different trims.

<sup>\*\*</sup> The specified fuel consumption and emission data have been determined according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP). The specified WLTP figures are displayed voluntarily in addition to NEDC 2.0. When figures are specified as value ranges, these do not refer to a particular individual vehicle, but to different trims.